Dynamic Chiropractic

WEIGHT LOSS / EATING HABITS

U.S. Food Consumption and Obesity, Part 2 of 2

G. Douglas Andersen, DC, DACBSP, CCN

The first National Health and Nutrition Examination Survey (NHANES) was performed from 1971-1974. It was repeated in 1976-1980 (NHANES II), and again from 1988-1994 (NHANES III). The survey, which polls a cross-section of the United States' population, became a continuing project in 1999. The sample size for the only year currently available, 1999-2000, numbered slightly over 40,000.

Body Mass Index

The body mass index (BMI) is a popular way for epidemiologists to classify the weight of large groups of people. BMI is calculated in the following ways: The body weight in kilograms divided by the height in meters squared; or the body weight in pounds divided by the height in inches, squared and multiplied by 705. (See Table 1.) The BMI is fairly accurate for normal people. It is not as accurate for extremely short people or athletic people (heavy exercisers) of normal size.

Table 1: Body Mass Index		
Underweight	t Less than 18.5	
Normal Weight	18.5 to 24.9	
Overweight	25.0 to 29.9	
Obese	30.0 to 34.9	
Very Obese	35.0 to 39.9	
Morbid Obesity	Over 40	

It is completely inaccurate for those who are heavily muscled. However, in cross-sectional surveys, due to the number of persons in the survey, there are too few heavily muscled athletes to affect the results of large groups. For example, a 6-foot-tall, 225-pound, heavily muscled athlete with 10 percent body fat has a BMI of 30. Obviously, this person is not obese. Contrast this patient with another who is 6 feet tall, 225 pounds and not athletic; in that case, a BMI of 30 is accurate. To see how much Americans have been growing, please see Table 2.

Table 2: Percent of obesity in the U.S. population (BMI greaterthan 30).				
Sex	1971-1974 NHANES I	1976-1980 NHANES II	1988-1994 NHANES III	1999-2000 NHANES CONT.
Males 20-74	14.5	15.0	23.3	30.9
Females 20-74	16.6	17.0	25.9	34.0

It is no surprise that the percentage of our population defined as obese is growing. What is even

more disturbing is the percentage of people who are now overweight, as defined by a BMI of 25 or greater. Please see Table 3.

Table 3: Percentage of overweight U.S. adults. Data from NHANES continuous.				
Men Ages	Percentage	Women Ages	Percentage	
20-39	60.5	20-39	54.3	
40-59	70.0	30-59	66.1	
60+	74.1	60+	68.1	
All Men	64.5	All Women	61.9	

Although NHANES concentrates on the U.S. population, the World Health Organization (WHO) reports that this problem is seen in other modern nations around the world, and in the Third World,

particularly as prosperity increases.²

Table 4 below tells a story that will please people who feel the obesity problem is caused by excessive consumption of fats, simple carbohydrates, total carbohydrates and total calories. Table 5 bolsters the argument for those who feel obesity is caused by insufficient protein intake. In part 3 of this article, we will review in detail selected food groups, and how their consumption has changed over the years.

Table 4: Percent changes in U.S. food consumption 1970-1997 (increases). ³		
Food	% Increase	
Cheese	146	
Soft Drinks	118	
Poultry	92	
Flour/Cereal	48	
Sugars	26	
Fats	25	
Fruits/Vegetables	24	
Fish	24	
Alcohol	17	

Table 5: <i>Percent changes in food consumption 1970-1997 (decreases).</i> ³		
Food	% Decrease	
Coffee*	32	
Milk	23	
Eggs	23	
Red Meat	16	

Please note that this figure is based on data through 1997 only. With the rise in popularity of coffeehouses, it is likely that coffee consumption has increased since then. It also is interesting to note that in many coffee-serving establishments, coffee, which used to be considered a low-calorie beverage (even including 1-2 spoonfuls of sugar), can now cost a person 500 calories or more when creams, flavorings, etc., are added.

References

- 1. Flegal KM, Carroll MD, Ogden CL, Johnson CL. Prevalence and trends in obesity among U.S. adults. *JAMA* 1999-2000;288:14.
- 2. WHO Consultation on Obesity. In *Obesity: Preventing and Managing the Global Epidemic*. Geneva, Switzerland, World Health Organization; 2000. WHO Technical Report Series 894.
- 3. Putnam JJ, Allshouse JE. *Food Consumption, Prices, and Expenditures* 1970-97. Food and Rural Economics Division, Economics Research Service, United States Department of Agriculture 1990, Statistical Bulletin, no. 965.

G. Douglas Andersen, DC, DACBSP, CCN Brea, California gdandersen@earthlink.net

APRIL 2003

©2024 Dynanamic Chiropractic[™] All Rights Reserved